

PLANNING DIMENSIONS

All dimensions in millimetres

Installation dimensions

$LWS = (LWK - 42)^{+0}_{-1.5}$
 min. LWS = 180 mm (3D)
 145 mm (2D)

$SKL = NL - 10 \pm 0.5$
 $MET = NL + 3$

$MET = NL + 21$

	NL	SKL	MET
	270	260	273
	300	290	303
	320	310	323
	350	340	353
	380	370	383
	400	390	403
	420	410	423
	450	440	453
	480	470	483
	500	490	503
	520	510	523
	550	540	553
	580	570	583
	600	590	603
	650	640	653
	700	690	703
	750	740	753

Synchronisation rod cutting dimension

LWK - 216

Locking device fixing position

$HV + 3.5 \text{ mm}$
 $SV \pm 1.5 \text{ mm}$
 $NV + 4 \text{ mm}$

Adjustment adapter fixing position

$NV + 4 \text{ mm}$

Fixing positions for full extension drawer

Euro screw $\varnothing 6.3 \times 14 \text{ mm}$
 Chipboard screw $\varnothing 4 \times 16 \text{ mm}$
 Screw head $\varnothing 7 \text{ mm}$

$MET = NL + 3$
 40 kg
 $MET = NL + 3$
 70 kg

LEGEND

HV	Height adjustment	LWS	Internal drawer width	SKL	Length of drawer
KV	Front edge of cabinet	MET	Minimum installation depth	SV	Side adjustment
L	Length	NL	Nominal length		
LWK	Inside cabinet width	NV	Tilt angle adjustment		